



D.W COLLECTION

HARDWARE SYSTEMS FOR DOORS










D W INTERNATIONAL BUILDING HARDWARE SUPPLY CO.,LTD



Premium® Exterior / *Prime*® Interior





Product Features

- A** ● Upper Unit
 - *Quick & Easy Install
 - *3D Central Adjustable Screws
 - *Outside anti-theft design
- B** ● Anti-Finger Pinching Tube
 - *Available For Door Thickness From 40mm~85mm
 - *Available For Any Door Material
 - *Easy combine with Door Leaf
- C** ● Lower Unit
 - *Quick & Easy Install
 - *3D Central Adjustable Screws
 - *Patented Design For Auto Drop Down Seal





DW-120




DW-160



DW-170



DW-260



DW-270



DW-580

Product Data



	DW-120	DW-160	DW-170	DW-260	DW-270	DW-580
Closing Force	2 To 4	3	2 To 4	3	2 To 4	2 To 4
Standard Doors 750 mm 35 kg						
850 mm 45 kg	V		V		V	V
950 mm 60 kg	V	V	V	V	V	V
1100 mm 80 kg	V		V		V	V
1250 mm 100 kg						
1400 mm 120 kg						
Body Dimensions (mm) Length	215	200	215	200	215	236
Height	42	54	54	54	54	59
Width	32	32	32	32	32	40
Arm Standard	X	X	X	X	X	X
Parallel Arm Bracket	X	X	X	X	X	X
Slide Arm	V	V	V	V	V	V
Slide Arm & Hold Open	O	O	O	O	O	O
Hold Open Arm	X	X	X	X	X	X
Sweeping Speed Adjustment	V	V	V	V	V	V
Latching Speed Adjustment	V	V	V	V	V	V
Back Check Adjustable	X	X	X	X	X	O
Delay Action	X	X	X	X	X	O
Finishes Silver	V	V	V	V	V	V
Brown	O	O	O	O	O	O
Gold	O	O	O	O	O	O
Others	O	O	O	O	O	O
Cover Stainless Steel	X	X	X	O	O	X





DW-590



DW-660



DW-690



DW-760



DW-790



DW-990

Product Data



	DW-590	DW-660	DW-690	DW-760	DW-790	DW-990
Closing Force	2 To 4	2 To 4	2 To 5	2 To 4	2 To 5	3 To 6
Standard Doors 750 mm 35 kg						
850 mm 45 kg	V	V	V	V	V	
950 mm 60 kg	V	V	V	V	V	V
1100 mm 80 kg	V	V	V	V	V	V
1250 mm 100 kg			V		V	V
1400 mm 120 kg						V
Body Dimensions (mm) Length	236	236	260	236	260	250
Height	59	59	59	59	59	51
Width	40	36	37	37	37	40
Arm Standard	X	X	X	X	X	X
Parallel Arm Bracket	X	X	X	X	X	X
Slide Arm	V	V	V	V	V	V
Slide Arm & Hold Open	O	O	O	O	O	O
Hold Open Arm	X	X	X	X	X	X
Sweeping Speed Adjustment	V	V	V	V	V	V
Latching Speed Adjustment	V	V	V	V	V	V
Back Check Adjustable	O	O	O	O	O	X
Delay Action	O	O	O	O	O	X
Finishes Silver	V	V	V	V	V	V
Brown	O	O	O	O	O	O
Gold	O	O	O	O	O	O
Others	O	O	O	O	O	O
Cover Stainless Steel	O	X	X	O	O	X





Product Data



	DW-18A	DW-28A	DW-78	DW-88	DW-520	DW-980
Closing Force	3 To 6	2 To 4	2,3,4	2 To 4	2 To 3	2 To 5
2 to 4			2,3,4,			
2 to 4		V	2,3,4,5,6	V		V
2 to 4	V	V	2 to 4	2 to 5		2 to 6
Standard Doors 750 mm 35 kg						
850 mm 45 kg	V	V	V	V	V	V
950 mm 60 kg	V	V	V	V	V	V
1100 mm 80 kg	V	V	V	V		V
1250 mm 100 kg	V	V				V
1400 mm 120 kg	V					V
Body Dimensions (mm) Length	275	236	179	220	218	207
Height	62	60	42	58	48	55
Width	45	38.5	64.3	42	48.3	40
Arm Standard	V	V	V	V	V	V
Parallel Arm Bracket	O	O	O	O	X	O
Slide Arm	O	O	O	O	X	O
Slide Arm & Hold Open	O	O	O	O	X	O
Hold Open Arm	O	O	O	O	X	O
Sweeping Speed Adjustment	V	V	V	V	V	V
Latching Speed Adjustment	V	V	V	V	V	V
Back Check Adjustable	O	O	O	O	X	O
Delay Action	O	O	X	X	X	X
Finishes Silver	V	V	V	V	V	V
Brown	O	O	O	O	O	O
Gold	O	O	O	O	O	O
Others	O	O	O	O	O	O
Cover Stainless Steel	O	O	X	X	X	O






Product Data



	DW-180	DW-280	DW-380	DW-387	DW-450	DW-460	DW-190
Closing Force	1,2,3,4	2 To 4	1,2,3,4	2 To 4	1,2,3,4	1,2	1,2,3
Standard Doors 750 mm 35 kg	V	V	V		V	V	V
850 mm 45 kg	V	V	V	V	V	V	V
950 mm 60 kg	V	V	V	V	V		V
1100 mm 80 kg	V		V	V	V		
1250 mm 100 kg							
1400 mm 120 kg							
Body Dimensions (mm) Length	215	215	230	230	230	180	215
Height	53.5	53.5	57	61	56	56	53.5
Width	32	32	32	37	32	29	32
Arm Standard	X	X	X	X	X	X	X
Parallel Arm Bracket	X	X	X	X	X	X	X
Slide Arm	V	V	V	V	V	V	V
Slide Arm & Hold Open	O	O	O	O	O	V	O
Hold Open Arm	X	X	X	X	X	X	X
Sweeping Speed Adjustment	V	V	V	V	V	V	V
Latching Speed Adjustment	V	V	V	V	V	V	V
Back Check Adjustable	O	O	O	O	O	X	O
Delay Action	X	X	X	X	X	X	X
Finishes Silver	V	V	V	V	V	V	V
Brown	O	O	O	O	O	O	O
Gold	O	O	O	O	O	O	O
Others	O	O	O	O	O	O	O
Cover Stainless Steel	X	O	X	X	X	X	X





Backcheck Cushion



Cover



Hold Open Arms



Hold Open Device



Mounting Bracket



Parallel Arm Bracket




**Parallel Arm
Bracket L Bracket**



**Parallel Arm
Bracket N Bracket**



Parallel Arm Bracket



**Overhead Door
Restrictor**



**Mounting Bracket
For Sliding Track**



Sliding Track And Arm





DW-020
Floor Hinges




DW-220
Floor Hinges



DW-620




DW-650



DW-670



DW-670H
Interchangeable Spindle



DW-850



**Track and Arm
For Transom Closer**



**Top Pivot and
Bottom Strap**



Off-Set-Arm



Spindle




Product Data

	DW-020	DW-220	DW-620	DW-650	DW-670	DW-670 H	DW-850
Closing Force	250 kg Loading Capacity	1, 2, 3	2, 3	300 kg Loading Capacity	2, 3, 4	250, 300 kg Loading Capacity	2, 3, 4
Body Dimensions (mm) Length	89	297	274	341	296	296	330.5
Width	51	143	97	78	98	98	91.5
Height	4	51	40	60	48.5	48.5	37
Standard Doors	V						
850 mm 70 kg		V	V		V		V
950 mm 105 kg		V	V		V		V
1100mm 150 kg		V			V		V
250 kg	V					V	
300 kg				V	V		
Arm Standard	O	V	V	V	V	V	V
Offset	O	O	O	O	O	O	O
Angle of Opening	180°	130°	130°	175°	180°	180°	130 °
Sweeping Speed Adjustment	X	V	V	V	V	V	V
Latching Speed Adjustment	X	V	V	V	V	V	V
Back Check Adjustable	X	X	X	V	O	O	X
Interchangeable Spindle	X	X	X	V	O	O	X
Hold Open at 90 Hold Open	X	O	O	V	O	O	O



Concealed Sliding Door Closer



DW-SC-025C DW-SC-045C



Product Features

- Concealed Sliding Door Closer for Wooden Siding Door
- Closing door automatically & save energy and reduce carbon emissions.
- Suitable for Wooden sliding doors & glass sliding doors
- DIY by yourself. Easy, simple, and fast
- Get a Patent & adjustable automobile for closing speed
- Satisfactory and quiet
- Wide range of application for sliding door-like wardrobe, closets, fitting rooms, shop doors, medical, etc.
- Loading Capacity:
DW-SC-025C Available for Door Weight 25kg Under or Door Pull Force 0.8kg Under
DW-SC-045C Available for Door Weight 45kg Under or Door Pull Force 1.2kg Under
- Body Dimension: 123(L)*22(W)*78(H)mm
- Body Weight: 0.63 kgs

Product	Type	Door Weight/Door Pull Force
DW-SC-025C	Concealed Sliding Door Closer For Wooden Door (light)	25KG / 0.8 KG Under
DW-SC-045C	Concealed Sliding Door Closer For Wooden Door (heavy)	45KG / 1.2 KG Under



Exposed Sliding Door Closer



DW-SC-025E DW-SC-045E


Product Features

- Exposed Sliding Door Closer for Wooden Siding Door
- Closing door automatically & save energy and reduce carbon emissions.
- Suitable for Wooden sliding doors & glass sliding doors
- DIY by yourself. Easy, simple, and fast
- Get a Patent & adjustable automobile for closing speed
- Satisfactory and quiet
- Wide range of application for sliding door-like wardrobe, closets, fitting rooms, shop doors, medical, etc.
- Loading Capacity:
DW-SC-025E Available for Door Weight 25kg Under or Door Pull Force 0.8kg Under
DW-SC-045E Available for Door Weight 45kg Under or Door Pull Force 1.2kg Under
- Body Dimension: 123(L)*22(W)*78(H)mm
- Body Weight: 0.63 kgs


Product	Type	Door Weight/Door Pull Force
DW-SC-025E	Exposed Sliding Door Closer For Wooden Door (light)	25KG / 0.8 KG Under
DW-SC-045E	Exposed Sliding Door Closer For Wooden Door (heavy)	45KG / 1.2 KG Under




IC Core



**Small Format
Interchangeable Core
Cylinder (SFIC)**



**Schlage Large Format
Interchangeable Core
(LFIC)**



**Large Format
Interchangeable Core
(LFIC)**

IC Padlock



**Padlock W/ SFIC
Removable Core**



**Padlock W/ SFIC
Removable Core**



**Padlock W/ SFIC
Security Device**



**Padlock W/
removable core**



US26

right Chrome



US26D

Satin Chrome



US03

Bright Brass



US04

Satin Brass



US10B

Dark Bronze



US15

Satin Nickel



US32

Bright
Stainless Steel



US32D

Satin
Stainless Ste




EN 1154





warringtonfire
global safety







Rim Cylinder W/ IC Core




Rim Cylinder For Panic Device W/ IC Core




Rim Cylinder W/IC Core



Mortise Cylinder W/ IC Core



Taper Head Mortise Cylinder W/IC Core



Cabinet Mortise Cylinder W/IC Core



right Chrome



Satin Chrome



Bright Brass



Satin Brass



Dark Bronze



Satin Nickel




Bright Stainless Steel




Satin Stainless Steel








**Euro Profile Thumbturn
Single Cylinder W/ I.C Core**




**Euro Profile Double
Cylinder W/ I.C Core**





**Euro Profile Half
Cylinder W/ I.C Core**




**Euro Profile Conversion
Oval Cylinder W/ I.C Core**




**Euro Profile Tubular Oval
Cylinder W/ I.C Core**




**Euro Profile Oval Double
Cylinder W/ I.C Core**



**Euro Profile Oval Single
Cylinder W/ I.C Core**



**Interior Scandinavian Oval
Cylinder W/ I.C Core**



**Exterior Scandinavian
Oval Cylinder W/ I.C Core**



right Chrome



Satin Chrome



Bright Brass



Satin Brass



Dark Bronze



Satin Nickel



Bright
Stainless Steel




Satin
Stainless Ste






EN 1154



Automatic Drop Down Seals(4 WAY-Best Design)



**SUS #304
stainless steel**



Product Description

Drop down automatically when closing the door
Isolate smokes, dust, insects, noise, energy save.
Could be installed for hinge or sliding door.
Could be installed by concealed or exposed.
Automatic drop range adjustable slightly and easier
Optional: Fire rated (customize).

Product Features

DW-DDS-105(Door Length Available From 75cm-105cm)

- * Length L-105CM
- * 30CM tolerance be able to cut off as suitable length for installing.
- * Minimum length for DW-DDS-105 would be 75CM after cutting.

DW-DDS-125(Door Length Available From 95cm-125cm)

- * Length L-125CM
- * 30CM tolerance be able to cut off as suitable length for installing.
- * Minimum length for DW-DDS-125 would be 95CM after cutting.

DW-DDS-155(Door Length Available From 125cm-155cm)

- * Length L-155CM
- * 30CM tolerance be able to cut off as suitable length for installing.
- * Minimum length for DW-DDS-155 would be 125CM after cutting.



EN 1154



warringtonfire
global safety





**3D Face Smart
Electronic Lockset**



**Euro Mortise Electronic
Lockset**



**Euro Mortise Electronic
Lockset**



Touchpad Lever Lock



**Electronic proximity
Deadbolt Lock**



**Electronic Smart Rim
Lock**





PreMium

www.dwtaiwan.com



INTERNATIONAL BUILDING HARDWARE SUPPLY CO.,LTD

D.W INTERNATIONAL BUILDING HARDWARE SUPPLY CO.,LTD

+886-5-2335708

+886-5-2327907

alan.dw@msa.hinet.net ; dwtaiwan88@gmail.com

No.71, Fucyuan St.West Dist., Chiayi City Taiwan R.O.C. Zip Code: 60089



www.dwtaiwan.com